

## Anhang zu Tätigkeitsbericht Zucht 2019

### Zuchtwerte aller geprüften Königinnen Jahrgang 2018

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
50	106	30159	2018	108	100	102	95	110	103
50	106	30164	2018	100	109	108	85	106	102
50	106	30165	2018	96	111	109	84	109	102
50	106	30166	2018	90	114	112	79	106	100
50	110	30142	2018	105	94	95	98	101	99
50	110	30143	2018	95	111	104	78	103	98
50	110	30186	2018	97	111	110	83	101	100
50	110	30191	2018	111	99	102	98	103	103
50	110	30197	2018	105	98	98	92	103	99
50	110	30200	2018	87	114	113	83	96	99
50	111	30061	2018	98	86	83	93	98	92
50	111	30069	2018	97	90	88	94	102	94
50	111	30075	2018	88	103	103	85	104	97
50	111	30082	2018	98	106	109	90	104	101
50	111	30087	2018	85	107	106	84	103	97
50	133	10123	2018	99	86	92	109	114	100
50	133	10132	2018	90	100	103	98	110	100
50	133	10134	2018	99	82	86	110	112	98
50	133	10135	2018	87	97	100	102	115	100
50	133	10136	2018	111	78	86	118	114	101
50	133	10137	2018	89	96	100	103	113	100
50	133	10145	2018	100	93	96	106	115	102
50	133	10146	2018	94	91	94	107	110	99
50	133	10240	2018	112	99	102	103	110	105
50	133	10242	2018	100	93	97	105	107	100
50	133	10246	2018	105	96	99	103	107	102
50	133	10249	2018	100	95	98	103	97	99

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanfmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
50	133	10255	2018	118	83	86	112	109	102
50	133	10262	2018	117	96	98	102	109	104
50	133	10264	2018	103	104	105	100	110	104
50	133	10272	2018	108	97	100	102	107	103
50	133	10276	2018	106	98	99	101	113	103
50	133	10277	2018	97	109	110	94	115	105
50	133	10280	2018	101	107	109	97	108	104
50	138	10018	2018	101	104	110	112	95	104
50	138	10020	2018	97	106	109	105	91	102
50	138	10027	2018	100	98	104	115	98	103
50	138	10076	2018	87	111	115	106	95	103
50	138	10081	2018	95	101	108	114	93	102
50	138	10084	2018	96	110	111	101	97	103
50	138	10157	2018	96	106	111	107	98	104
50	143	10198	2018	94	89	94	110	109	99
50	143	10205	2018	102	99	105	107	104	103
50	143	10210	2018	106	83	89	115	107	100
50	143	10211	2018	95	96	103	108	103	101
50	143	10216	2018	103	90	95	110	96	99
50	150	60385	2018	100	102	100	99	97	100
50	150	60391	2018	103	104	101	96	102	101
50	150	70019	2018	100	108	110	103	100	104
50	150	70303	2018	110	86	87	112	92	97
50	150	70310	2018	104	94	99	112	94	101
50	150	70313	2018	98	113	115	100	98	105
50	150	70316	2018	109	97	100	107	92	101
50	150	70317	2018	97	97	99	107	99	100
50	150	70318	2018	96	113	115	100	93	103
50	150	70319	2018	92	111	110	92	96	100
50	150	70321	2018	104	104	107	103	93	102
50	150	70440	2018	88	105	107	101	97	100
50	154	50137	2018	101	101	102	108	94	101
50	154	60260	2018	84	103	94	93	93	93
50	154	60266	2018	106	87	83	108	81	93

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanfmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
50	156	10152	2018	104	95	96	105	100	100
50	156	10153	2018	100	104	104	98	111	103
50	156	10158	2018	106	104	106	100	104	104
50	156	10159	2018	111	97	101	108	103	104
50	156	10160	2018	110	96	98	107	99	102
50	156	10171	2018	117	93	96	110	108	105
50	156	10172	2018	104	99	99	102	104	102
50	156	10173	2018	104	97	97	103	103	101
50	156	10175	2018	108	102	105	106	110	106
50	60	60053	2018	98	92	83	96	95	93
50	60	60114	2018	100	100	92	93	97	96
50	60	60126	2018	95	91	83	97	94	92
50	60	60127	2018	116	85	80	109	88	96
50	60	60128	2018	112	88	81	103	96	96
50	66	70001	2018	90	114	113	94	100	102
50	66	70002	2018	102	97	99	107	95	100
50	66	70004	2018	102	85	91	118	93	98
50	66	70005	2018	102	97	100	109	92	100
50	66	70006	2018	99	97	101	108	89	99
50	66	70008	2018	105	107	110	103	90	103
50	66	70011	2018	90	110	111	98	94	101
50	66	70012	2018	101	114	111	97	100	105
50	66	70015	2018	101	99	104	107	97	102
50	66	70016	2018	103	109	107	100	98	103
50	66	70017	2018	98	101	104	104	105	102
50	66	70018	2018	97	104	108	105	95	102
50	66	70023	2018	117	91	97	117	90	102
50	66	70024	2018	105	97	99	108	94	101
50	66	70025	2018	109	98	100	105	86	100
50	66	70028	2018	98	105	108	105	89	101
50	66	70029	2018	92	113	110	91	92	100
50	66	70039	2018	92	101	104	103	92	98
50	66	70041	2018	98	108	108	100	97	102
50	66	70044	2018	102	95	100	109	97	101

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanfmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
50	66	70054	2018	92	108	106	98	92	99
50	66	70056	2018	96	99	102	104	91	98
50	66	70058	2018	94	108	109	97	94	100
50	66	70058	2018	100	98	103	111	88	100
50	66	70061	2018	97	104	108	105	97	102
50	66	70064	2018	99	98	101	105	98	100
50	66	70067	2018	101	95	98	112	100	101
50	83	10387	2018	94	87	88	108	99	95
50	83	10389	2018	94	88	89	107	104	96
50	83	10392	2018	95	88	90	106	105	97
50	83	10400	2018	93	94	95	103	103	98
50	83	10411	2018	92	96	99	105	105	99
51	10	1533	2018	103	104	102	84	91	97
51	10	2636	2018	105	104	101	97	94	100
51	10	4010	2018	104	110	107	95	96	102
51	10	4300	2018	104	101	100	97	93	99
51	10	4941	2018	104	96	92	92	91	95
51	10	5137	2018	107	98	95	95	97	98
51	10	5841	2018	103	101	99	91	93	97
51	26	1748	2018	104	114	116	100	99	107
51	26	2418	2018	100	112	113	89	103	103
51	26	2603	2018	103	115	115	105	95	107
51	26	2912	2018	79	104	102	112	99	99
51	26	2955	2018	99	110	112	92	95	102
51	26	3663	2018	106	106	109	99	99	104
51	26	4289	2018	105	116	117	101	95	107
51	26	4917	2018	107	111	112	100	100	106
51	26	5009	2018	105	116	118	101	98	108
51	26	5246	2018	76	98	95	110	93	94
51	26	6899	2018	75	99	95	114	99	96
51	26	8147	2018	107	115	117	98	96	107
51	26	8285	2018	84	102	99	117	97	100
51	26	9511	2018	79	101	100	109	94	97
51	26	9915	2018	76	93	90	109	99	93

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanfmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
51	31	1520	2018	79	86	87	100	96	90
51	31	1735	2018	79	84	84	100	93	88
51	31	3669	2018	82	71	72	93	96	83
51	31	4148	2018	87	78	76	99	93	87
51	31	4944	2018	79	81	81	107	100	90
51	31	8718	2018	74	64	65	90	101	79
51	31	9901	2018	84	71	72	98	98	85
51	87	1907	2018	100	105	104	87	95	98
51	87	2672	2018	100	94	93	88	98	95
51	87	3332	2018	98	95	95	92	97	95
51	87	4591	2018	96	90	88	95	92	92
51	87	5079	2018	103	94	96	92	101	97
51	87	9177	2018	98	95	94	88	96	94
51	87	9696	2018	101	70	72	79	99	84
51	93	1362	2018	74	80	77	97	88	83
51	93	2176	2018	83	87	84	102	82	88
51	93	4304	2018	84	71	73	99	86	83
51	93	5311	2018	76	88	83	98	86	86
51	93	5712	2018	77	79	77	88	89	82
51	93	7114	2018	77	81	81	100	83	84
51	93	7174	2018	79	84	81	95	90	86
51	93	9251	2018	75	85	83	100	89	86
51	122	1269	2018	95	83	81	105	101	93
51	122	1365	2018	90	68	65	101	98	84
51	122	1377	2018	88	88	84	107	102	94
51	122	2345	2018	86	83	78	103	99	90
51	122	3372	2018	92	79	75	103	106	91
51	122	9176	2018	89	90	87	106	103	95
51	125	1216	2018	90	83	87	101	102	93
51	125	1813	2018	89	93	93	102	99	95
51	125	4463	2018	84	93	94	101	95	93
51	140	1590	2018	69	85	79	103	93	86
51	140	3114	2018	69	95	88	109	96	91
51	140	7930	2018	67	92	86	106	92	89

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanfmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
51	140	8416	2018	67	93	87	100	97	89
51	150	1729	2018	71	90	84	101	92	88
51	150	2532	2018	68	84	76	103	94	85
51	150	3900	2018	72	97	91	109	100	94
51	150	5077	2018	71	93	88	96	94	88
51	150	9928	2018	71	96	89	109	96	92
51	185	1705	2018	75	90	84	105	85	88
51	185	2574	2018	71	89	83	104	88	87
51	185	3474	2018	73	97	90	109	88	91
51	185	4003	2018	71	91	84	104	86	87
51	185	4174	2018	75	90	83	101	92	88
51	185	5215	2018	75	93	88	105	87	90
51	185	6491	2018	77	93	86	106	84	89
51	208	2555	2018	99	115	113	92	93	102
51	208	4031	2018	78	96	95	100	98	93
51	208	4051	2018	102	104	103	77	93	96
51	208	5607	2018	100	100	101	78	95	95
51	208	5647	2018	100	102	102	85	95	97
51	208	6435	2018	76	93	88	99	99	91
51	208	6635	2018	98	100	98	89	95	96
51	208	6947	2018	77	99	96	104	96	94
51	208	7189	2018	97	101	99	79	100	95
51	208	8668	2018	81	92	92	103	100	94
51	208	9033	2018	101	103	102	86	94	97
51	208	9140	2018	83	93	92	101	101	94
51	265	2512	2018	80	87	79	99	97	88
51	265	2659	2018	78	96	89	99	91	91
51	265	2818	2018	82	96	91	100	95	93
51	265	7588	2018	81	88	83	103	92	89
51	265	9429	2018	79	87	83	99	92	88
51	265	9927	2018	82	90	85	100	93	90
51	272	1720	2018	85	85	83	109	88	90
51	272	1968	2018	86	76	75	108	89	87
51	272	2314	2018	84	74	70	108	86	84

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanfmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
51	272	4316	2018	89	77	76	110	89	88
51	272	5965	2018	91	88	85	112	88	93
51	272	8211	2018	90	85	83	108	85	90
52	13	708	2018	80	72	68	78	73	74
52	13	709	2018	79	73	70	82	75	76
52	13	711	2018	76	63	62	86	76	73
52	13	712	2018	76	75	73	75	77	75
52	13	714	2018	81	68	65	81	76	74
52	13	715	2018	83	73	71	81		77
52	13	716	2018	76	75	71	80	74	75
52	13	717	2018	78	73	69	85	72	75
52	13	718	2018	78	74	72	83	76	77
52	21	12	2018	84	89	86	92		88
52	21	17	2018	89	94	91	92	88	91
52	21	20	2018	87	84	88	95	88	88
52	21	21	2018	85	75	73	88		80
52	21	2	2018	90	104	103	99	95	98
52	21	22	2018	90	94	97	95	87	93
52	21	27	2018	84	78	75	90	86	83
52	21	28	2018	84	97	95	88		91
52	21	30	2018	87	88	85	88		87
52	21	33	2018	80	86	84	90	87	85
52	21	34	2018	82	89	87	91	90	88
52	21	36	2018	87	89	86	90	88	88
52	21	37	2018	78	92	90	88		87
52	21	57	2018	89	89	88	90	91	89
52	21	61	2018	79	82	80	92	91	85
52	21	68	2018	82	93	91	78	100	89
52	21	72	2018	84	89	87	92	91	89
52	21	73	2018	86	89	85	90	91	88
52	21	8	2018	90	102	102	101	94	98
52	22	18	2018	83	86	83	93		86
52	22	22	2018	84	90	87	93		89
52	22	23	2018	79	84	79	92		84

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanfmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	22	341	2018	94	92	91	93	88	92
52	22	349	2018	85	99	100	97		95
52	22	350	2018	89	99	100	97		96
52	22	355	2018	89	99	100	97		96
52	22	356	2018	88	90	88	94	89	90
52	22	358	2018	90	90	89	94	88	90
52	22	361	2018	77	79	78	89	85	82
52	22	362	2018	92	94	95	95		94
52	22	406	2018	91	96	99	97		96
52	22	413	2018	85	99	99	97		95
52	22	414	2018	86	95	97	97		94
52	22	415	2018	83	99	99	97		95
52	22	416	2018	90	98	100	97		96
52	22	43	2018	81	86	88	99	88	88
52	22	46	2018	93	99	104	87		96
52	22	49	2018	82	78	81	100	92	87
52	22	55	2018	81	88	89	97	91	89
52	23	111	2018	88	98	101	101		97
52	23	113	2018	89	98	101	101		97
52	23	117	2018	87	94	96	101		95
52	23	118	2018	89	99	101	101	93	97
52	23	119	2018	90	92	94	98	92	93
52	23	120	2018	91	92	94	98	91	93
52	23	121	2018	93	99	102	102		99
52	23	50	2018	91	87	85	99	85	89
52	23	54	2018	87	84	84	98	86	88
52	23	55	2018	82	82	80	99	80	85
52	23	56	2018	89	88	86	97	85	89
52	23	57	2018	89	90	88	99	87	91
52	23	58	2018	85	86	85	98		89
52	23	63	2018	86	80	77	99	81	85
52	23	69	2018	85	85	83	94	86	87
52	24	10	2018	87	86	91	87	80	86
52	24	11	2018	86	87	93	86	77	86



Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanfmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	24	1	2018	87	91	96	88	75	87
52	24	12	2018	91	91	96	85	82	89
52	24	13	2018	91	95	100	89	72	89
52	24	3	2018	94	86	91	90	77	88
52	24	4	2018	85	81	92	86	74	84
52	24	5	2018	83	83	90	88		86
52	24	6	2018	85	87	93	86	81	86
52	26	11	2018	86	69	72	67	88	76
52	26	12	2018	91	81	83	76	89	84
52	26	13	2018	89	84	84	74	86	83
52	26	14	2018	87	77	79	76	82	80
52	26	15	2018	93	89	90	87		90
52	26	16	2018	89	82	84	74	87	83
52	26	18	2018	91	81	82	77	91	84
52	26	20	2018	89	72	75	63	83	76
52	26	22	2018	87	80	81	63	83	79
52	26	88	2018	77	91	93	89	84	87
52	26	90	2018	79	85	87	84	82	83
52	26	91	2018	74	82	84	81	81	80
52	26	93	2018	81	93	95	94	87	90
52	26	94	2018	80	82	82	82	78	81
52	26	95	2018	77	90	93	95		89
52	26	96	2018	80	90	92	82	83	85
52	26	97	2018	81	87	90	85	79	84
52	26	99	2018	80	84	86	83	82	83
52	32	18	2018	82	79	71	98	93	85
52	32	39	2018	78	71	59	93		75
52	32	51	2018	77	91	83	100	98	90
52	32	53	2018	82	85	79	102	89	87
52	32	67	2018	74	80	74	95		81
52	32	87	2018	75	83	76	99	94	85
52	32	90	2018	79	84	76	99	94	86
52	40	19	2018	81	81	83	95	87	85
52	40	23	2018	83	88	89	99	91	90

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt
52	40	24	2018	83	86	88	97		89
52	40	33	2018	83	91	93	99	89	91
52	40	34	2018	89	85	89	93	90	89
52	40	43	2018	84	88	90	96	85	89
52	707	42	2018	86	102	97	104	93	96
52	707	43	2018	80	89	85	99	92	89
52	707	44	2018	76	82	77	99	92	85
52	707	46	2018	78	94	87	99		90
52	707	71	2018	77	89	84	91	94	87
52	707	72	2018	74	85	79	95	93	85
52	707	77	2018	83	87	81	90	94	87

### Rassenzuchtorganisationen

50 Mellifera

51 SAR

52 SCIV