

## Anhang zu Tätigkeitsbericht Zucht 2017

### Zuchtwerte aller geprüften Königinnen Jahrgang 2016

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
50	53	50049	2016	95	98	99	90	98	96	
50	53	50122	2016	101	94	96	81	116	98	
50	53	50123	2016	92	104	105	93	119	103	B
50	53	50230	2016	116	111	113	96	110	109	AV
50	53	50234	2016	112	105	106	92	107	104	B
50	53	50235	2016	78	97	98	75	94	88	
50	53	50236	2016	115	106	107	98	108	107	AV
50	53	50238	2016	101	108	107	105	97	104	A
50	53	50242	2016	101	106	108	83	109	101	B
50	58	30028	2016	103	95	92	113	104	101	B
50	58	30033	2016	92	96	96	98	87	94	
50	58	30083	2016	86	109	109	96	97	99	
50	58	30087	2016	103	101	100	106	107	103	AV
50	59	30163	2016	102	94	92	109	102	100	B
50	59	30165	2016	99	102	100	85	92	96	
50	62	50269	2016	105	113	115	98	114	109	AV
50	62	50272	2016	90	109	110	113	114	107	AV
50	62	50273	2016	110	101	102	107	107	105	AV
50	62	50276	2016	99	105	107	96	114	104	AV
50	62	50278	2016	88	105	103	95	103	99	
50	62	50281	2016	85	106	109	96	114	102	B
50	62	50282	2016	85	119	121	96	130	110	B
50	62	50283	2016	125	90	91	92	104	100	
50	62	50287	2016	88	93	94	92	95	92	
50	66	40032	2016	80	106	103	119	78	97	
50	66	40044	2016	105	102	97	107	87	100	B

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
50	66	40050	2016	115	109	108	108	97	107	A
50	66	40053	2016	84	96	92	102	79	91	
50	66	40056	2016	100	97	96	113	104	102	AV
50	66	40061	2016	108	86	89	110	86	96	
50	66	40063	2016	89	106	108	86	111	100	B
50	66	40067	2016	103	110	110	111	80	103	A
50	66	40074	2016	98	120	115	103	89	105	B
50	66	40085	2016	92	82	81	87	84	85	
50	66	40184	2016	105	86	90	107	94	96	
50	66	40195	2016	121	93	91	122	78	101	B
50	66	40197	2016	100	98	97	112	76	97	
50	66	40198	2016	91	112	112	87	76	96	
50	66	40199	2016	93	114	114	102	84	101	B
50	66	40202	2016	95	111	111	113	90	104	B
50	66	40211	2016	83	85	84	87	73	82	
50	66	40224	2016	96	98	95	103	84	95	
50	66	40231	2016	113	120	118	119	101	114	AV
50	66	40236	2016	105	106	104	101	89	101	B
50	66	40242	2016	109	104	100	99	99	102	B
50	66	40255	2016	110	121	119	96	99	109	B
50	66	40257	2016	111	85	82	110	96	97	
50	66	40260	2016	108	85	83	91	105	94	
50	66	40264	2016	97	97	95	89	96	95	
50	66	40272	2016	104	129	128	106	91	112	A
50	77	30277	2016	88	87	87	94	93	90	
50	77	30279	2016	87	98	97	101	108	98	
50	77	30288	2016	107	103	105	87	97	100	B
50	77	30292	2016	83	111	111	94	94	99	
50	82	30294	2016	102	88	89	103	103	97	
50	82	30302	2016	109	109	109	95	115	107	AV
50	82	30303	2016	95	105	106	95	105	101	AV
50	82	30305	2016	118	106	109	117	112	112	AV
50	82	30307	2016	115	120	121	118	91	113	A

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
50	82	30308	2016	106	110	112	93	104	105	B
50	82	30317	2016	107	107	109	114	108	109	AV
50	86	40137	2016	112	95	94	116	102	104	B
50	86	40152	2016	128	110	110	104	115	113	AV
50	86	40287	2016	105	109	108	108	102	106	AV
50	86	40293	2016	72	92	89	99	84	87	
50	86	40294	2016	97	122	122	96	92	106	B
50	87	40102	2016	106	104	103	92	90	99	
50	87	40114	2016	106	119	116	101	106	110	AV
50	87	40118	2016	81	101	96	89	91	92	
50	87	40119	2016	78	101	93	108	90	94	
50	87	40122	2016	85	108	102	109	87	98	
50	87	40342	2016	99	108	107	93	90	99	
50	87	40344	2016	84	87	85	109	82	89	
50	106	30067	2016	102	77	79	90	103	90	
50	106	30068	2016	94	97	100	93	88	94	
50	106	30069	2016	98	82	83	99	107	94	
50	106	30072	2016	107	94	94	107	105	101	B
50	106	30075	2016	116	73	76	107	96	94	
50	106	30076	2016	108	83	85	96	100	94	
50	106	30127	2016	88	117	118	113	88	105	B
50	110	30039	2016	123	93	94	116	91	103	B
50	110	30051	2016	92	112	111	110	99	105	B
50	110	30059	2016	129	67	69	111	94	94	
50	110	30060	2016	93	108	108	103	101	103	B
50	110	30061	2016	104	122	123	121	96	113	A
50	110	30062	2016	107	90	92	116	109	103	B
50	110	30186	2016	90	95	95	128	84	98	
50	110	30211	2016	95	98	100	121	105	104	AV
50	111	10389	2016	92	109	107	101	89	100	B
50	111	10390	2016	109	90	91	105	122	103	B
50	111	10392	2016	106	87	89	88	106	95	
50	111	10393	2016	116	118	120	103	107	113	AV

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
50	111	10396	2016	114	106	106	106	115	109	AV
50	111	10397	2016	129	104	105	92	119	110	B
50	111	10399	2016	124	107	106	109	119	113	AV
50	111	10656	2016	109	104	103	100	122	108	AV
50	111	10659	2016	80	104	104	88	98	95	
50	124	10017	2016	111	115	116	93	109	109	B
50	124	10018	2016	97	109	111	113	103	107	B
50	124	10038	2016	81	105	107	104	108	101	B
50	124	10043	2016	93	116	118	93	118	108	B
50	124	10046	2016	127	93	93	97	113	105	B
50	125	10099	2016	104	94	96	85	99	96	
50	125	10103	2016	108	94	95	104	115	103	B
50	125	10386	2016	105	114	113	114	92	108	B
50	125	10401	2016	99	81	82	83	114	92	
50	125	10406	2016	73	94	97	102	95	92	
50	125	10410	2016	90	95	96	103	133	103	B
50	125	10437	2016	88	91	91	82	86	88	
50	129	40359	2016	107	104	105	101	87	101	A
50	129	40364	2016	101	107	104	114	84	102	A
50	129	40365	2016	92	107	102	111	78	98	
50	129	40366	2016	101	111	108	105	97	104	A
50	129	40367	2016	100	112	107	93	107	104	B
50	129	40948	2016	98	108	107	94	88	99	
50	129	40955	2016	71	113	111	113	87	99	
50	133	10138	2016	100	94	98	71	94	91	
50	133	10141	2016	120	112	115	119	109	115	AV
50	133	10145	2016	128	93	89	89	122	104	B
50	133	10147	2016	102	113	112	84	112	105	B
50	133	10151	2016	118	97	97	87	102	100	B
50	133	10155	2016	102	112	113	98	120	109	AV
50	133	10157	2016	102	109	109	89	113	104	B
50	133	10160	2016	108	110	111	90	107	105	B
50	133	10314	2016	86	103	102	83	113	97	

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
50	133	10315	2016	85	81	82	85	87	84	
50	133	10316	2016	104	106	105	97	109	104	AB
50	133	10317	2016	127	111	111	91	120	112	AB
50	133	10319	2016	119	98	98	88	109	102	B
50	133	10320	2016	107	116	115	107	116	112	AB
50	133	10371	2016	108	97	98	84	115	100	B
50	134	40318	2016	91	104	106	131	99	106	A
50	134	40324	2016	127	96	95	101	110	106	AV
50	134	40326	2016	93	113	114	92	86	100	B
50	134	40327	2016	104	119	120	126	97	113	A
50	134	40329	2016	122	102	101	126	110	112	AV
50	134	40330	2016	101	93	97	90	107	98	
50	134	40331	2016	119	117	118	107	86	109	A
50	134	40335	2016	100	116	115	116	89	107	
50	134	40340	2016	105	116	114	106	99	108	A
50	134	40972	2016	101	115	112	116	103	109	AV
50	134	40990	2016	107	98	94	100	100	100	B
50	139	30096	2016	77	97	98	98	95	93	
50	139	30110	2016	94	99	96	96	116	100	B
50	139	30111	2016	92	108	108	96	106	102	B
50	139	30141	2016	84	87	91	93	92	89	
50	147	50001	2016	102	95	99	84	114	99	
50	147	50247	2016	109	101	102	94	116	104	B
50	147	50248	2016	75	74	76	88	94	81	
50	147	50249	2016	118	101	103	95	110	105	AB
50	147	50251	2016	114	108	110	90	120	108	B
50	147	50256	2016	117	92	95	88	128	104	
50	147	51000	2016	98	92	92	111	90	97	
51	26	1261	2016	90	87	90	106	85	92	
51	26	2119	2016	91	77	74	100	96	88	
51	26	2665	2016	89	90	90	97	96	92	
51	26	3800	2016	95	89	89	109	86	94	
51	26	3929	2016	94	101	101	105	89	98	

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
51	26	4456	2016	88	105	104	134	82	103	B
51	26	4528	2016	81	115	116	88	76	95	
51	26	5857	2016	95	110	108	104	85	100	B
51	26	5908	2016	101	93	85	108	92	96	
51	26	6030	2016	91	102	103	104	83	97	
51	26	6375	2016	107	74	79	116	103	96	
51	26	6616	2016	102	95	94	105	96	98	
51	26	7064	2016	93	96	96	104	100	98	
51	26	7117	2016	94	112	108	113	101	106	B
51	26	7323	2016	90	101	99	112	74	95	
51	26	7949	2016	89	106	105	106	78	97	
51	26	8782	2016	100	98	99	108	96	100	B
51	26	8990	2016	88	115	114	89	103	102	B
51	78	1617	2016	93	74	75	99	107	90	
51	78	2283	2016	89	91	87	87	91	89	
51	78	2521	2016	91	93	97	82	96	92	
51	78	7036	2016	84	99	101	104	85	95	
51	78	7376	2016	86	95	96	101	100	96	
51	79	1812	2016	84	99	100	107	105	99	
51	79	4188	2016	94	83	85	85	104	90	
51	79	4308	2016	91	96	97	105	93	96	
51	79	5576	2016	77	102	102	99	102	96	
51	79	5703	2016	81	107	109	113	98	102	B
51	79	5864	2016	72	101	104	103	99	96	
51	79	6506	2016	83	106	103	115	106	103	B
51	79	6927	2016	90	94	95	104	120	101	B
51	79	8992	2016	93	89	88	99	102	94	
51	110	3157	2016	91	96	96	74	91	90	
51	110	3343	2016	92	79	80	105	92	90	
51	110	4239	2016	99	88	85	93	77	88	
51	110	4700	2016	85	93	93	112	94	95	
51	110	5705	2016	91	103	101	111	106	102	B
51	110	7938	2016	85	108	108	79	102	96	

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
51	110	8037	2016	88	105	104	101	82	96	
51	110	8240	2016	92	93	94	123	106	102	B
51	110	8515	2016	93	94	94	100	101	96	
51	110	8961	2016	95	93	89	95	87	92	
51	146	1326	2016	86	84	86	112	108	95	
51	146	1477	2016	92	91	91	126	72	94	
51	146	2003	2016	85	89	85	102	80	88	
51	146	2752	2016	81	105	102	118	89	99	
51	146	2902	2016	85	96	97	110	101	98	
51	146	4402	2016	82	81	77	97	85	84	
51	146	7248	2016	83	60	64	110	78	79	
51	146	7484	2016	83	103	105	115	96	100	B
51	146	7824	2016	87	103	104	105	93	98	
51	146	7825	2016	93	98	98	108	85	96	
51	169	2637	2016	90	103	102	118	92	101	B
51	169	2825	2016	87	106	105	116	98	102	B
51	169	3699	2016	84	71	71	81	79	77	
51	169	3825	2016	87	112	112	103	75	98	
51	169	4907	2016	90	101	101	107	98	99	
51	169	5866	2016	90	95	96	105	81	93	
51	169	5941	2016	96	94	94	109	80	95	
51	208	1002	2016	90	115	117	112	105	108	B
51	208	2393	2016	77	93	88	80	106	89	
51	208	3160	2016	89	93	92	112	110	99	
51	208	3913	2016	92	99	102	98	105	99	
51	208	4609	2016	99	92	94	108	105	100	B
51	208	5427	2016	103	101	103	116	106	106	AV
51	208	6173	2016	83	100	100	104	110	99	
51	208	6188	2016	96	70	71	102	87	85	
51	208	7536	2016	94	78	77	122	96	93	
51	213	2490	2016	84	69	66	102	104	85	
51	213	4230	2016	104	109	110	124	85	106	A
51	213	5473	2016	84	104	106	118	85	99	

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
51	213	6446	2016	90	90	93	116	89	96	
51	213	6567	2016	100	86	87	135	96	101	B
51	213	8156	2016	87	102	104	107	95	99	
51	213	8339	2016	84	90	84	107	99	93	
51	260	2801	2016	90	89	89	113	111	98	
51	260	2910	2016	97	82	84	94	106	93	
51	260	3194	2016	87	105	108	106	101	101	B
51	260	6104	2016	81	108	108	109	112	104	B
51	260	6800	2016	90	98	99	104	109	100	B
51	260	7421	2016	84	90	92	109	111	97	
51	260	7449	2016	84	95	96	97	93	93	
51	264	1186	2016	93	95	96	106	93	97	
51	264	1822	2016	110	73	76	99	106	93	
51	264	3161	2016	88	79	77	109	104	91	
51	264	4466	2016	103	116	116	123	105	113	AV
51	264	5546	2016	94	98	97	117	100	101	B
51	264	6620	2016	91	102	100	87	87	93	
51	264	7595	2016	78	95	96	101	92	92	
51	265	1844	2016	96	93	94	98	83	93	
51	265	2164	2016	97	100	103	81	84	93	
51	265	3791	2016	98	95	92	93	88	93	
51	265	4004	2016	95	92	94	81	94	91	
51	265	6772	2016	97	77	77	82	113	89	
51	269	1413	2016	109	101	103	130	95	108	A
51	269	1841	2016	96	102	105	120	86	102	B
51	269	2867	2016	97	99	98	109	81	97	
51	269	4849	2016	96	76	73	100	86	86	
51	269	6133	2016	93	98	99	94	75	92	
51	269	7213	2016	88	95	96	107	73	92	
51	270	2945	2016	92	96	96	104	103	98	
51	270	3056	2016	103	95	97	106	113	103	AV
51	270	5234	2016	85	112	112	118	83	102	B
51	270	7834	2016	106	98	98	109	107	104	AV



Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
51	270	7945	2016	100	93	91	100	104	98	
51	273	1788	2016	97	99	99	100	95	98	
51	273	4399	2016	96	90	95	81	101	93	
51	273	5711	2016	87	71	75	77	82	78	
51	273	7202	2016	100	87	89	100	117	99	
51	273	7752	2016	89	91	93	102	94	94	
51	273	7811	2016	95	94	95	103	96	97	
52	15	196	2016	97	62	62	98	78	79	
52	15	197	2016	89	90	89	100	103	94	
52	15	198	2016	79	83	85	100	86	87	
52	15	199	2016	97	98	98	104	93	98	
52	15	200	2016	95	103	104	112	84	100	B
52	15	201	2016	89	89	88	101	97	93	
52	15	202	2016	84	105	105	103	88	97	
52	15	203	2016	95	98	98	104	102	99	
52	15	204	2016	79	95	90	108	92	93	
52	15	205	2016	86	89	88	101	83	89	
52	15	206	2016	96	78	78	95	101	90	
52	15	207	2016	92	92	92	103	96	95	
52	16	159	2016	91	88	87	97	101	93	
52	16	163	2016	92	78	78	90	111	90	
52	16	164	2016	84	90	90	96	98	92	
52	16	165	2016	77	81	81	95	83	83	
52	16	167	2016	88	89	87	96	97	91	
52	16	169	2016	91	93	89	105	88	93	
52	16	170	2016	101	86	83	98	108	95	
52	16	171	2016	88	90	89	97	91	91	
52	16	172	2016	89	99	104	99	101	98	
52	17	203	2016	91	94	94	98	99	95	
52	17	204	2016	91	92	92	98	97	94	
52	17	205	2016	93	87	94	106	74	91	
52	17	206	2016	87	84	86	96	94	89	
52	17	207	2016	94	88	87	97	88	91	

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
52	17	209	2016	87	90	90	97	99	93	
52	17	211	2016	87	89	88	96	70	86	
52	17	213	2016	79	91	90	96	75	86	
52	17	214	2016	81	79	80	75	101	83	
52	21	31	2016	105	109	113	116	83	105	A
52	21	33	2016	96	94	94	101	101	97	
52	21	35	2016	94	108	109	103	99	103	B
52	21	37	2016	91	94	99	96	89	94	
52	21	43	2016	95	104	105	103	97	101	B
52	21	46	2016	102	112	110	107	87	104	A
52	21	47	2016	96	104	104	103	85	98	
52	21	48	2016	104	95	95	102	96	98	
52	21	161	2016	83	87	87	98	94	90	
52	21	170	2016	93	117	117	105	117	110	B
52	21	298	2016	89	96	99	101	103	98	
52	22	5	2016	89	104	103	101		99	
52	22	10	2016	75	68	70	75	85	75	
52	22	12	2016	87	99	95	90		93	
52	22	15	2016	83	78	77	68	86	78	
52	22	16	2016	96	103	102	102	72	95	
52	22	25	2016	87	95	98	90		93	
52	22	27	2016	90	96	97	100		96	
52	22	61	2016	87	114	115	113	85	103	B
52	22	62	2016	97	106	107	102	91	101	B
52	22	64	2016	89	83	82	81	90	85	
52	22	65	2016	101	90	91	94	92	94	
52	22	70	2016	87	87	86	89		87	
52	22	71	2016	89	82	83	89		86	
52	22	78	2016	93	95	96	95		95	
52	22	84	2016	102	99	99	92	83	95	
52	22	92	2016	90	91	92	92	83	90	
52	22	95	2016	96	96	96	95	84	93	
52	22	97	2016	96	99	99	100	80	95	

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
52	22	98	2016	86	102	101	102		98	
52	22	143	2016	96	114	114	115		110	B
52	22	147	2016	94	107	106	108		104	B
52	22	251	2016	84	85	86	86	82	85	
52	22	253	2016	88	86	87	86	84	86	
52	22	254	2016	98	113	114	112	81	104	B
52	22	262	2016	92	89	88	88	78	87	
52	22	436	2016	102	113	113	115	102	109	AV
52	22	450	2016	96	102	102	100	92	98	
52	22	456	2016	97	100	100	75	76	90	
52	22	457	2016	79	83	84	70	60	75	
52	22	458	2016	76	109	109	99	87	96	
52	22	586	2016	90	99	91	78	84	88	
52	23	138	2016	89	100	98	102	100	98	
52	23	181	2016	89	103	100	98	103	99	
52	23	269	2016	96	101	94	86	86	93	
52	23	291	2016	101	106	103	96	88	99	
52	23	292	2016	103	103	102	101	90	100	A
52	26	139	2016	95	95	95	67	102	91	
52	26	141	2016	85	96	91	99	97	94	
52	26	142	2016	85	101	101	92	88	93	
52	26	143	2016	99	103	104	75	92	95	
52	26	144	2016	89	101	105	70	98	93	
52	26	145	2016	101	101	102	74	96	95	
52	26	146	2016	94	90	88	91	102	93	
52	26	147	2016	88	105	106	74	95	94	
52	35	546	2016	88	74	77	94	84	83	
52	35	548	2016	84	106	105	99	81	95	
52	35	552	2016	96	107	109	90	84	97	
52	40	255	2016	87	80	82	88	81	84	
52	40	356	2016	89	85	83	77	81	83	
52	40	392	2016	101	91	89	82	81	89	
52	40	394	2016	104	113	113	115	99	109	A

Rassenzucht- organisation	Züchter	Zuchtbuchnr.	Jahr	Honig	Sanftmut	Wabensitz	Schwarm- neigung	Varroaindex	Durchschnitt	Herdebuchkat.
52	40	397	2016	89	89	88	90	86	88	
52	40	399	2016	90	91	89	94	85	90	
52	40	400	2016	88	75	78	72	79	78	
52	40	411	2016	88	78	76	95	83	84	
52	40	413	2016	90	94	93	98	89	93	
52	40	417	2016	92	90	90	85	73	86	
52	40	420	2016	96	99	99	100	78	94	
52	40	429	2016	100	110	111	113	78	102	A
52	40	613	2016	96	92	93	99	72	90	

#### Rassenzuchtorganisationen

50 Mellifera

51 SAR

52 SCIV

#### Herdebuchkategorie\*

B Durchschnitt aller Zuchtwerte  $\geq 100\%$

A alle Zuchtwerte  $\geq 100$ , ausser Varroa

Av Varroaindex  $\geq 100$ , zwei weitere Indexe  $\geq 100$   
und die restlichen  $\geq 95$

\*Die einzelnen Kategorien sind im Herdebuchreglement  
detailliert beschrieben.